


**REMARKS**

In this Amendment, Applicant has amended Abstract. Consideration of the amended application is respectfully requested.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Robert Berdo", written over a horizontal line.

Robert H. Berdo, Jr. (Reg. No. 38,075)  
RABIN & BERDO, P.C.  
CUSTOMER NO. 23995  
(202) 371-8976 tel  
(202) 408-0924 fax

RHB:QZ:scz

Abstract of the disclosure

~~An objective of the present invention is to obtain~~To unlock and re-rock a dial lock for a traveling bag capable of being unlocked and re-locked by for inspection, a special master key which only an authorized inspector has, when the locked traveling bag needs to be inspected. A center lock 6 of the ~~traveling bag~~ includes an ordinary dial lock 20 having dials 21, and an operation part 50 operated ~~by the~~with a master key ~~which by only the~~an inspector ~~has.~~ A, a bolt of the dial lock has a pressing part ~~at one end thereof, and when,~~ which is pressed by the master key is inserted into a key hole 52 of a key hole plate 51 of the operation part 50 and is operated, the pressing part of the bolt is pressed, and thereby, to make the dial lock is in an unlocking state. Further, the key hole plate 51 rotated together with the key is formed ~~to have in~~an oval-like shape obtained by cutting off both sides of a disk shape, ~~and when the key is rotated to the unlocking state,~~ so that a colored part 54 of a front plate 51 of the operation part 50 can be seen53 appears in the cut off part of the key hole plate as ~~illustrated in when~~ the drawings. Thus, ~~when a portion of the front plate, which can be seen, key is a colored part 54, it can be noticed at a glance that the lock~~

~~is in~~rotated to the unlocking state, ~~so that a risk~~  
~~that the inspector forgets~~ thereby preventing failure  
of re-locking can be prevented.